


The Dumdaar Super Carry **S-CNG** mini-truck is now BS6 compliant

With CNG + Petrol Dual-fuel engine, Super Carry
is set to drive you towards success



POWERFUL 1196CC
4 CYLINDER ENGINE



EXCELLENT MILEAGE



LARGE AND STABLE DECK

Now **BS6** 
compliant


SUPER CARRY
A POWERFUL MINI TRUCK

Specifications	
Engine	Multi Point Fuel Injection G12B BS - VI
Maximum Power (CNG)	48 kW @ 6000 rpm
Maximum Torque (CNG)	85 Nm @ 3000 rpm
Displacement	1196 cc
Valve System	SOHC
Fuel Distribution	MPFI
Transmission	
Type	5MT
Gearbox	5 Forward and 1 Reverse
Clutch	Single Plate Dry Friction
Brake	
Brake Control Valve	LSPV
Front	Ventilated Disc
Rear	Drum Brake
Suspension and Steering	
Front	MacPherson Strut with Coil Spring
Rear	Leaf Spring with Rigid Axle
Steering	Manual - Rack and Pinion Gear
Wheel and Tyre	
Tyre	155 R13 LT8PR
Measurements	
Length	3800 mm
Width	1562 mm
Height (Unladen)	1883 mm
Wheel Base	2110 mm
Front Track	1345 mm
Rear Track	1330 mm
Length of Deck	2183 mm
Width of Deck	1488 mm
Height of Deck	300 mm
Turning Radius	4.3 m
Performance	
Top Speed	80 km/h
Gradeability	21%
Weight	
GVW	1600 kg
Kerb	975 kg
Payload	625 kg
Capacity	
Seating Capacity	Driver+1
CNG Cylinder Capacity	70 L (Water Equivalent) (35 L x 2 Cylinders)
Gasoline Fuel Tank Capacity	5 L (For Emergency Use)
MT: Manual Transmission	

Equipment List	
Exterior	
Tailgate Opening Function with Handle	S
Tailgate Chain	S
Front Wiper (2- Speed)	S
ORVM (Driver and Co-Driver)	S
Spare Tyre	S
Rope Hooks	S
Mud Flap (Front)	S
Rear Fender	S
Front body graphics	S
Side door body graphics	S
Windshield Washer	S
Interior (Comfort, Convenience & Utility)	
Cabin Main Light (2 - Position)	S
Sun Visor (Driver)	S
Driver Side Pocket	S
Sliding Back Window	S
Assist Grip (Driver & Co-driver)	S
Bottle Holder	S
Instrument Panel Upper Tray (2 Nos.)	S
12V Accessory Socket	S
Floor Carpet	S
3-Spoke Steering Wheel	S
Sliding Driver Seat	S
Safety Features	
Seat Belts (Retractable)	S
Locking Glove Box (With Key)	S
Headlamp Levelling	S
Steering Lock	S
Reflective Tape (Front/Rear)	S
Reflector Front (White)	S
Reflector Rear (Red)	S
First-Aid Kit	S
Warning Triangle	S
Hazard Lamp	S
Front Disc Brake	S
Brake LSPV	S
Stepney Lock Provision	S
Battery Lock Provision	S
Fire Extinguisher	S
Rear Parking Sensor System	S
Seat Belt Reminder (Driver & Co-Driver)	S
S: Standard	



Easy Handling



Insured Safety with
Maruti Suzuki Assurance




More Comfort



Bigger Tyres




Higher Ground
Clearance




Dual Fuel Engine

Body Colour Options



Silky Silver



Solid White

Dealer Stamping Area

S-CNG
DRIVE SMART. CHOOSE GREEN.

For more details contact | Toll free No: 1800 102 1800, 1800 1800 180

Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments, specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes only.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi - 110070, Tel. 011-46781000.

*Appearance of black shade on glass is due to lighting effect.


 **MARUTI SUZUKI COMMERCIAL**

TARAKKI KA DUMDAAR SAATHI

WITH THE TRUST OF MARUTI SUZUKI AND ASSURANCE FROM
SUPER CARRY, THE PACE OF HAPPINESS WILL INCREASE



Now **BS6** 
compliant



**POWERFUL 1196CC
4 CYLINDER ENGINE**



EXCELLENT MILEAGE



HIGHER GROUND CLEARANCE

1196cc
PETROL ENGINE

SUPER CARRY
A POWERFUL MINI TRUCK

Specifications	
Engine	Multi Point Fuel Injection G12B BS-VI
Maximum Power	54 kW @ 6000 rpm
Maximum Torque	98 Nm @ 3000 rpm
Engine Capacity	1196 cc
Valve System	SOHC
Fuel Distribution	MPFI
Transmission	
Type	5MT
Gearbox	5 Forward and 1 Reverse
Clutch	Single Plate Dry Friction
Brake	
Brake Control Valve	LSPV
Front	Ventilated Disc
Rear	Drum Brake
Suspension and Steering	
Front	MacPherson Strut with Coil Spring
Rear	Leaf Spring Rigid Axle
Steering	Manual - Rack and Pinion Gear
Wheel and Tyre	
Tyre	155R13 LT 8PR
Measurements	
Wheel Base	2110 mm
Front Track	1345 mm
Rear Track	1330 mm
Turning Radius	4.3 m
Performance	
Top Speed	80 km/h
Gradeability	21%
Weight	
GVW	1600 kg
Capacity	
Seating Capacity	Driver + 1
Fuel Tank	30 L
MT: Manual Transmission	


Equipment List	
Exterior	
Front Wiper (2-Speed) with Washer	S
ORVM (Driver and Co-Driver)	S
Spare Tyre	S
Mud Flap (Front)	S
Interior (Comfort, Convenience & Utility)	
Cabin Main Light (2-Position)	S
Driver Side Sun Visor	S
Driver Side Pocket	S
Sliding Back Window	S
Assist Grip (Driver & Co-driver)	S
Bottle Holder	S
Instrument Panel Upper Tray (2 Nos.)	S
12V Accessory Socket	S
Floor Carpet	S
3-Spoke Steering Wheel	S
Sliding Driver Seat	S
Safety Features	
Seat Belts (Retractable)	S
Locking Glove Box (with Key)	S
Headlamp Levelling	S
Steering Lock	S
Reflective Tape (Front)	S
Reflector Front (white)	S
First-Aid Kit	S
Warning Triangle	S
Hazard Lamp	S
Front Disc Brake	S
Brake LSPV	S
Stepney Lock Provision	S
Battery Lock Provision	S
Rear Parking Sensor System	S
Seat Belt Reminder (Driver & Co-driver)	S
S: Standard	



Bigger Tyres



Easy Handling



**Insured Safety with
Maruti Suzuki Assurance**



More Comfort

Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. The rear combination lamps, registration plate lamps and parking sensors (provided along with vehicle in glove box) shall be fitted on the load body/application as per recommended position specified in the owner's manual.

**For more details contact
Toll free No: 1800 102 1800, 1800 1800 180**

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi – 110070, Tel. 011-46781000.
Appearance of black shade on glass is due to lighting effect.

Dealer Stamping Area

Body Colour Options

Silky Silver

Solid White


 **MARUTI SUZUKI COMMERCIAL**

TARAKKI KA DUMDAAR SAATHI

WITH THE TRUST OF MARUTI SUZUKI AND ASSURANCE FROM
SUPER CARRY, THE PACE OF HAPPINESS WILL INCREASE



Now **BS6** 
compliant



**POWERFUL 1196CC
4 CYLINDER ENGINE**



EXCELLENT MILEAGE



LARGE AND STABLE DECK

1196cc
PETROL ENGINE

SUPER CARRY
A POWERFUL MINI TRUCK

Specifications	
Engine	Multi Point Fuel Injection G12B BS-VI
Maximum Power	54 kW @ 6000 rpm
Maximum Torque	98 Nm @ 3000 rpm
Engine Capacity	1196 cc
Valve System	SOHC
Fuel Distribution	MPFI
Transmission	
Type	5MT
Gearbox	5 Forward and 1 Reverse
Clutch	Single Plate Dry Friction
Brake	
Brake Control Valve	LSPV
Front	Ventilated Disc
Rear	Drum Brake
Suspension and Steering	
Front	MacPherson Strut with Coil Spring
Rear	Leaf Spring Rigid Axle
Steering	Manual - Rack and Pinion Gear
Wheel and Tyre	
Tyre	155R13 LT 8PR
Measurements	
Length	3800 mm
Width	1562 mm
Height	1883 mm
Wheel Base	2110 mm
Front Track	1345 mm
Rear Track	1330 mm
Length of Deck	2183 mm
Breadth of Deck	1488 mm
Height of Deck	300 mm
Turning Radius	4,3 m
Performance	
Top Speed	80 km/h
Gradeability	21%
Weight	
GVW	1600 kg
Kerb	860 kg
Pay Load	740 kg
Capacity	
Seating Capacity	Driver + 1
Fuel Tank	30 L
MT: Manual Transmission	


Equipment List	
Exterior	
Tailgate Opening Function with Handle	S
Tailgate Chain	S
Front Wiper (2-Speed) with Washer	S
ORVM (Driver and Co-Driver)	S
Spare Tyre	S
Rope Hooks	S
Mud Flap (Front)	S
Rear Fender	S
Interior (Comfort, Convenience & Utility)	
Cabin Main Light (2-Position)	S
Driver Side Sun Visor	S
Driver Side Pocket	S
Sliding Back Window	S
Assist Grip (Driver & Co-driver)	S
Bottle Holder	S
Instrument Panel Upper Tray (2 Nos.)	S
12V Accessory Socket	S
Floor Carpet	S
3-Spoke Steering Wheel	S
Sliding Driver Seat	S
Safety Features	
Seat Belts (Retractable)	S
Locking Glove Box (with Key)	S
Headlamp Levelling	S
Steering Lock	S
Reflective Tape (Front/Rear)	S
Reflector Front (white)	S
Reflector Rear (Red)	S
First-Aid Kit	S
Warning Triangle	S
Hazard Lamp	S
Front Disc Brake	S
Brake LSPV	S
Stepney Lock Provision	S
Battery Lock Provision	S
Rear Parking Sensor System	S
Seat Belt Reminder (Driver & Co-driver)	S
S: Standard	



Bigger Tyres




Easy Handling




**Insured Safety with
Maruti Suzuki Assurance**



Higher Ground Clearance




More Comfort



Silky Silver

Solid White



Dealer Stamping Area

Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. The rear combination lamps, registration plate lamps and parking sensors (provided along with vehicle in glove box) shall be fitted on the load body/application as per recommended position specified in the owner's manual.

For more details contact Toll free No: 1800 102 1800, 1800 1800 180

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi - 110070, Tel. 011-46781000.

Appearance of black shade on glass is due to lighting effect.